

NICE DENIM MILLS LTD.

Mawna, Sreepur, Gazipur.

SCIENCE BASED TARGETS INITIATIVES (SBTi)

Nice Denim Mills Ltd commits to reduce Scope 1 emissions 42% by 2030 from a 2023 base year.



Corporate Near-Term Tool

Version: 2.3
Support: info@sciencebasedtargets.org

Scope 1&2 Tool User Guide

Section 1: Input emissions and activity data as required by the selected Target Setting Method. Required input fields are highlighted in yellow.

Section 2: Summary of emissions reduction target data and visualizations, Sector-specific intensity convergence / Sectoral decarbonization approach (SDA).

Section 3: Summary of emissions reduction target data and visualizations, Cross-sector absolute reduction / Absolute contraction approach (ACA).

Section 4: All target modelling output data, SDA & ACA.

Section 1. Input data

| | | |
|---|-------------------------------|---|
| Enter your company name | Nice Denim Mills Ltd | |
| Target setting method | Absolute Contraction Approach | <i>This approach is not applicable to power generation emissions</i> |
| SDA scenario | SBTi 1.5C | <i>Not applicable</i> |
| SDA sector | | <i>Not applicable</i> |
| Base year | 2023 | <i>Select a base year</i> |
| Base year Activity output | | |
| Base year Scope 1 emissions | 83,954 | tCO2e |
| Base year Scope 2 emissions | 0 | tCO2e |
| Target year | 2030 | <i>Select a target year</i> |
| Target year Type of activity projection | Fixed market share | |
| No input required | | <i>Activity growth aligned with sector</i> |
| Most recent year (MRY) | 2023 | <i>Select most recent year of available emissions&activity data</i> |
| MRY Scope 1 emissions | | tCO2e |
| MRY Scope 2 emissions | | tCO2e |

IMPORTANT NOTICE:

This Tool is intended to support companies in their modeling of science-based emissions reductions targets, as well as to assist companies and interested third parties in assessing and evaluating companies' targets. However, to be approved by the Science Based Targets initiative, companies need to make sure their target(s) fulfill the SBTi criteria. Please review the SBTi Step by Step Process to access the latest criteria and resources: <https://sciencebasedtargets.org/step-by-step-process>

Also please note that the SBTi assesses "forward-looking" ambition of target(s) by using the year the target is submitted to the initiative (or the most recent GHG inventory). For further information, consult the SBTi Corporate Net-Zero Standard: <https://sciencebasedtargets.org/resources/files/Net-Zero-Standard-Criteria.pdf>

Please help us improve this tool by reporting issues related to functionalities and formatting.

Update notification:


Please note that as of July 15th 2022, SBT Tool versions 1.2.2 and earlier are no longer supported. For clarifications on tool version eligibility please contact info@sciencebasedtargets.org.

Please see results in Section 3 below

Section 2. Sector-specific intensity convergence / Sectoral decarbonization approach (SDA)

SDA sectoral data:

#N/A






— Sector activity — Sector power consumption — Sector scope 2 emissions intensity — Sector scope 1 emissions intensity

SBTi 1.5C scenario

[Review all target modelling data](#)

| | Base year (2023) | Target year (2030) | % SBT reduction | | |
|----------------------------|------------------|--------------------|-----------------|--|-------------------------|
| <i>select a SDA sector</i> | 83,953.73 | #VALUE! | #VALUE! | <i>Near-Term Scope 1 SBT Formulation</i> | Enter data in Section 1 |
| <i>select a SDA sector</i> | 0.00 | | | <i>Near-Term Scope 2 SBT Formulation</i> | Enter data in Section 1 |
| <i>select a SDA sector</i> | 83,953.73 | #VALUE! | #VALUE! | <i>Near-Term Scope 1+2 SBT Formulation</i> | Enter data in Section 1 |
| <i>select a SDA sector</i> | #VALUE! | #VALUE! | #VALUE! | <i>Near-Term Scope 1 SBT Formulation</i> | Enter data in Section 1 |
| <i>select a SDA sector</i> | | | | <i>Near-Term Scope 2 SBT Formulation</i> | Enter data in Section 1 |
| <i>select a SDA sector</i> | #VALUE! | #VALUE! | #VALUE! | <i>Near-Term Scope 1+2 SBT Formulation</i> | Enter data in Section 1 |

Note: Scope 1+2 intensity targets are modeled against a combined sector convergence pathway, therefore these targets will vary slightly from the sum of Scope 1 and Scope 2 intensity targets.




Section 3. Cross-sector absolute reduction / Absolute contraction approach (ACA)

1.5 degree scenario (1.5C)

[Review all target modelling data](#)

| | Base year (2023) | Same as base year | Target year (2030) | % Reduction to date | % FLA Adjustment | % SBT reduction | | |
|-----------------------------|------------------|-------------------|--------------------|---------------------|------------------|-----------------|--|---|
| Scope 1 emissions (tCO2e) | 83,954 | ---- | 48,693 | ----- | Not required | 42.00% | <i>Near-Term Scope 1 SBT Formulation</i> | Nice Denim Mills Ltd commits to reduce Scope 1 emissions 42% by 2030 from a 2023 base year. |
| Scope 2 emissions (tCO2e) | 0 | ---- | 0 | ----- | Not required | 0.00% | <i>Near-Term Scope 2 SBT Formulation</i> | Nice Denim Mills Ltd commits to reduce Scope 2 emissions 0% by 2030 from a 2023 base year. |
| Scope 1+2 emissions (tCO2e) | 83,954 | ---- | 48,693 | ----- | ----- | 42.00% | <i>Near-Term Scope 1+2 SBT Formulation</i> | Nice Denim Mills Ltd commits to reduce Scope 1+2 emissions 42% by 2030 from a 2023 base year. |



Section 4. All target modelling data

| | | 2023 | 2024 | 2025 | 2026 | 2027 | 2028 | 2029 | 2030 | 2031 | 2032 | 2033 | 2034 | 2035 |
|-----------------------------|-----------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| select a SDA sector | select a SDA sector | | | | | | | | | | | | | |
| | select a SDA sector | | | | | | | | | | | | | |
| | select a SDA sector | | | | | | | | | | | | | |
| | select a SDA sector | | | | | | | | | | | | | |
| | select a SDA sector | | | | | | | | | | | | | |
| | select a SDA sector | | | | | | | | | | | | | |
| Absolute contraction 1.5C | Scope 1 emissions (tCO2e) | 83,953.73 | 78,916.51 | 73,879.29 | 68,842.06 | 63,804.84 | 58,767.61 | 53,730.39 | 48,693.17 | 43,655.94 | 38,618.72 | 33,581.49 | 28,544.27 | 23,507.05 |
| | Scope 2 emissions (tCO2e) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Scope 1+2 emissions (tCO2e) | 83,953.73 | 78,916.51 | 73,879.29 | 68,842.06 | 63,804.84 | 58,767.61 | 53,730.39 | 48,693.17 | 43,655.94 | 38,618.72 | 33,581.49 | 28,544.27 | 23,507.05 |